

SIZE IN INCHES	.5"	.75"	1"	1.25"	1.5"	2"	2.5"	3"	3.5"	4"		
INTERNAL DIAMETER	0.622	0.824	1.049	1.38	1.61	2.067	2.469	3.068	3.548	4.026		
40% filled rate	0.1215	0.2133	0.3457	0.5983	0.8143	1.3422	1.9151	2.9571	3.9547	5.0921		
31% filled rate	0.0942	0.1653	0.2679	0.4637	0.6311	1.0402	1.4842	2.2917	3.0649	3.9464		
53% filled rate	0.1610	0.2826	0.4581	0.7927	1.0790	1.7785	2.5375	3.9181	5.2400	6.7470	CABLE AREA	CABLE O.D.
Max # of cables at 40% fill rate	15	27	44	76	103	170	243	376	503	648	0.0079	0.100
	14	24	39	69	94	155	221	341	456	588	0.0087	0.105
	12	22	36	62	85	141	201	311	416	535	0.0095	0.110
	11	20	33	57	78	129	184	284	380	490	0.0104	0.115
	10	18	30	52	72	118	169	261	349	450	0.0113	0.120
	9	17	28	48	66	109	156	240	322	414	0.0123	0.125
	9	16	26	45	61	101	144	222	297	383	0.0133	0.130
	8	14	24	41	56	93	133	206	276	355	0.0143	0.135
	7	13	22	38	52	87	124	192	256	330	0.0154	0.140
	7	12	20	36	49	81	115	179	239	308	0.0165	0.145
	6	12	19	33	46	75	108	167	223	288	0.0177	0.150
	6	11	18	31	43	71	101	156	209	269	0.0189	0.155
	6	10	17	29	40	66	95	147	196	253	0.0201	0.160
	5	9	16	27	38	62	89	138	184	238	0.0214	0.165
	5	9	15	26	35	59	84	130	174	224	0.0227	0.170
	5	8	14	24	33	55	79	122	164	211	0.0241	0.175
	4	8	13	23	32	52	75	116	155	200	0.0254	0.180
	4	7	12	22	30	49	71	110	147	189	0.0269	0.185
	4	7	12	21	28	47	67	104	139	179	0.0284	0.190
	4	7	11	20	27	44	64	99	132	170	0.0299	0.195
3	6	11	19	25	42	60	94	125	162	0.0314	0.200	
3	6	10	18	24	40	58	89	119	154	0.0330	0.205	
3	6	9	17	23	38	55	85	114	147	0.0346	0.210	
3	5	9	16	22	36	52	81	108	140	0.0363	0.215	
3	5	9	15	21	35	50	77	104	133	0.0380	0.220	
3	5	8	15	20	33	48	74	99	128	0.0398	0.225	
2	5	8	14	19	32	46	71	95	122	0.0415	0.230	
2	4	7	13	18	30	44	68	91	117	0.0434	0.235	
2	4	7	13	18	29	42	65	87	112	0.0452	0.240	
2	4	7	12	17	28	40	62	83	108	0.0471	0.245	
2	4	7	12	16	27	39	60	80	103	0.0491	0.250	
2	4	6	11	15	26	37	57	77	99	0.0511	0.255	
2	4	6	11	15	25	36	55	74	95	0.0531	0.260	
2	3	6	10	14	24	34	53	71	92	0.0552	0.265	
2	3	6	10	14	23	33	51	69	88	0.0573	0.270	
2	3	5	10	13	22	32	49	66	85	0.0594	0.275	
1	3	5	9	13	21	31	48	64	82	0.0616	0.280	
1	3	5	9	12	21	30	46	61	79	0.0638	0.285	
1	3	5	9	12	20	28	44	59	77	0.0661	0.290	
1	3	5	8	11	19	28	43	57	74	0.0683	0.295	
1	3	4	8	11	18	27	41	55	72	0.0707	0.300	
1	2	4	8	11	18	26	40	54	69	0.0731	0.305	
1	2	4	7	10	17	25	39	52	67	0.0755	0.310	
1	2	4	7	10	17	24	37	50	65	0.0779	0.315	
1	2	4	7	10	16	23	36	49	63	0.0804	0.320	
1	2	4	7	9	16	23	35	47	61	0.0830	0.325	
1	2	4	6	9	15	22	34	46	59	0.0855	0.330	
1	2	3	6	9	15	21	33	44	57	0.0881	0.335	
1	2	3	6	8	14	21	32	43	56	0.0908	0.340	
1	2	3	6	8	14	20	31	42	54	0.0935	0.345	

SIZE IN INCHES	.5"	.75"	1"	1.25"	1.5"	2"	2.5"	3"	3.5"	4"	CABLE AREA	CABLE O.D.
Max # of cables at 40% fill rate	1	2	3	6	8	13	19	30	41	52	0.0962	0.350
	1	2	3	6	8	13	19	29	39	51	0.0990	0.355
	1	2	3	5	8	13	18	29	38	50	0.1018	0.360
	1	2	3	5	7	12	18	28	37	48	0.1046	0.365
	1	1	3	5	7	12	17	27	36	47	0.1075	0.370
	1	1	3	5	7	12	17	26	35	46	0.1104	0.375
	1	1	3	5	7	11	16	26	34	44	0.1134	0.380
	1	1	2	5	6	11	16	25	33	43	0.1164	0.385
	1	1	2	5	6	11	16	24	33	42	0.1195	0.390
	0	1	2	4	6	10	15	24	32	41	0.1225	0.395
	0	1	2	4	6	10	15	23	31	40	0.1257	0.400
	0	1	2	4	6	10	14	22	30	39	0.1288	0.405
	0	1	2	4	6	10	14	22	29	38	0.1320	0.410
	0	1	2	4	6	9	14	21	29	37	0.1353	0.415
	0	1	2	4	5	9	13	21	28	36	0.1385	0.420
	0	1	2	4	5	9	13	20	27	35	0.1419	0.425
	0	1	2	4	5	9	13	20	27	35	0.1452	0.430
	0	1	2	4	5	9	12	19	26	34	0.1486	0.435
	0	1	2	3	5	8	12	19	26	33	0.1521	0.440
	0	1	2	3	5	8	12	19	25	32	0.1555	0.445
	0	1	2	3	5	8	12	18	24	32	0.1590	0.450
	0	1	2	3	5	8	11	18	24	31	0.1626	0.455
	0	1	2	3	4	8	11	17	23	30	0.1662	0.460
	0	1	2	3	4	7	11	17	23	29	0.1698	0.465
	0	1	1	3	4	7	11	17	22	29	0.1735	0.470
	0	1	1	3	4	7	10	16	22	28	0.1772	0.475
	0	1	1	3	4	7	10	16	21	28	0.1810	0.480
	0	1	1	3	4	7	10	16	21	27	0.1847	0.485
	0	1	1	3	4	7	10	15	20	27	0.1886	0.490
	0	1	1	3	4	6	9	15	20	26	0.1924	0.495
0	1	1	3	4	6	9	15	20	25	0.1963	0.500	
0	1	1	2	4	6	9	14	19	25	0.2003	0.505	
0	1	1	2	3	6	9	14	19	24	0.2043	0.510	
0	1	1	2	3	6	9	14	18	24	0.2083	0.515	
0	1	1	2	3	6	9	13	18	23	0.2124	0.520	
0	0	1	2	3	6	8	13	18	23	0.2165	0.525	
0	0	1	2	3	6	8	13	17	23	0.2206	0.530	
0	0	1	2	3	5	8	13	17	22	0.2248	0.535	
0	0	1	2	3	5	8	12	17	22	0.2290	0.540	
0	0	1	2	3	5	8	12	16	21	0.2333	0.545	
0	0	1	2	3	5	8	12	16	21	0.2376	0.550	
0	0	1	2	3	5	7	12	16	21	0.2419	0.555	
0	0	1	2	3	5	7	12	16	20	0.2463	0.560	
0	0	1	2	3	5	7	11	15	20	0.2507	0.565	
0	0	1	2	3	5	7	11	15	19	0.2552	0.570	
0	0	1	2	3	5	7	11	15	19	0.2597	0.575	
0	0	1	2	3	5	7	11	14	19	0.2642	0.580	
0	0	1	2	3	4	7	11	14	18	0.2688	0.585	
0	0	1	2	2	4	7	10	14	18	0.2734	0.590	
0	0	1	2	2	4	6	10	14	18	0.2781	0.595	
0	0	1	2	2	4	6	10	13	18	0.2827	0.600	
0	0	1	2	2	4	6	10	13	17	0.2875	0.605	
0	0	1	2	2	4	6	10	13	17	0.2922	0.610	
0	0	1	2	2	4	6	9	13	17	0.2971	0.615	
0	0	1	1	2	4	6	9	13	16	0.3019	0.620	
0	0	1	1	2	4	6	9	12	16	0.3068	0.625	
0	0	1	1	2	4	6	9	12	16	0.3117	0.630	
0	0	1	1	2	4	6	9	12	16	0.3167	0.635	
0	0	1	1	2	4	5	9	12	15	0.3217	0.640	

SIZE IN INCHES	.5"	.75"	1"	1.25"	1.5"	2"	2.5"	3"	3.5"	4"	CABLE AREA	CABLE O.D.
Max # of cables at 40% fill rate	0	0	1	1	2	4	5	9	12	15	0.3267	0.645
	0	0	1	1	2	4	5	8	11	15	0.3318	0.650
	0	0	1	1	2	3	5	8	11	15	0.3370	0.655
	0	0	1	1	2	3	5	8	11	14	0.3421	0.660
	0	0	0	1	2	3	5	8	11	14	0.3473	0.665
	0	0	0	1	2	3	5	8	11	14	0.3526	0.670
	0	0	0	1	2	3	5	8	11	14	0.3578	0.675
	0	0	0	1	2	3	5	8	10	14	0.3632	0.680
	0	0	0	1	2	3	5	8	10	13	0.3685	0.685
	0	0	0	1	2	3	5	7	10	13	0.3739	0.690
	0	0	0	1	2	3	5	7	10	13	0.3794	0.695
	0	0	0	1	2	3	4	7	10	13	0.3848	0.700
	0	0	0	1	2	3	4	7	10	13	0.3904	0.705
	0	0	0	1	2	3	4	7	9	12	0.3959	0.710
	0	0	0	1	2	3	4	7	9	12	0.4015	0.715
	0	0	0	1	2	3	4	7	9	12	0.4072	0.720
	0	0	0	1	1	3	4	7	9	12	0.4128	0.725
	0	0	0	1	1	3	4	7	9	12	0.4185	0.730
	0	0	0	1	1	3	4	6	9	12	0.4243	0.735
	0	0	0	1	1	3	4	6	9	11	0.4301	0.740
	0	0	0	1	1	3	4	6	9	11	0.4359	0.745
	0	0	0	1	1	3	4	6	8	11	0.4418	0.750
	0	0	0	1	1	2	4	6	8	11	0.4477	0.755
	0	0	0	1	1	2	4	6	8	11	0.4536	0.760
	0	0	0	1	1	2	4	6	8	11	0.4596	0.765
	0	0	0	1	1	2	4	6	8	10	0.4657	0.770
	0	0	0	1	1	2	4	6	8	10	0.4717	0.775
	0	0	0	1	1	2	4	6	8	10	0.4778	0.780
0	0	0	1	1	2	3	6	8	10	0.4840	0.785	
0	0	0	1	1	2	3	6	8	10	0.4902	0.790	
0	0	0	1	1	2	3	5	7	10	0.4964	0.795	
0	0	0	1	1	2	3	5	7	10	0.5027	0.800	
0	0	0	1	1	2	3	5	7	9	0.5090	0.805	
0	0	0	1	1	2	3	5	7	9	0.5153	0.810	
0	0	0	1	1	2	3	5	7	9	0.5217	0.815	
0	0	0	1	1	2	3	5	7	9	0.5281	0.820	
0	0	0	1	1	2	3	5	7	9	0.5346	0.825	
0	0	0	1	1	2	3	5	7	9	0.5411	0.830	
0	0	0	1	1	2	3	5	7	9	0.5476	0.835	
0	0	0	1	1	2	3	5	7	9	0.5542	0.840	
0	0	0	1	1	2	3	5	7	9	0.5608	0.845	
0	0	0	1	1	2	3	5	6	8	0.5675	0.850	
0	0	0	1	1	2	3	5	6	8	0.5741	0.855	
0	0	0	1	1	2	3	5	6	8	0.5809	0.860	
0	0	0	1	1	2	3	5	6	8	0.5877	0.865	
0	0	0	1	1	2	3	4	6	8	0.5945	0.870	
0	0	0	0	1	2	3	4	6	8	0.6013	0.875	
0	0	0	0	1	2	3	4	6	8	0.6082	0.880	
0	0	0	0	1	2	3	4	6	8	0.6151	0.885	
0	0	0	0	1	2	3	4	6	8	0.6221	0.890	
0	0	0	0	1	2	3	4	6	8	0.6291	0.895	
0	0	0	0	1	2	3	4	6	8	0.6362	0.900	
0	0	0	0	1	2	2	4	6	7	0.6433	0.905	
0	0	0	0	1	2	2	4	6	7	0.6504	0.910	
0	0	0	0	1	2	2	4	6	7	0.6576	0.915	
0	0	0	0	1	2	2	4	5	7	0.6648	0.920	
0	0	0	0	1	1	2	4	5	7	0.6720	0.925	
0	0	0	0	1	1	2	4	5	7	0.6793	0.930	
0	0	0	0	1	1	2	4	5	7	0.6866	0.935	

SIZE IN INCHES	.5"	.75"	1"	1.25"	1.5"	2"	2.5"	3"	3.5"	4"	CABLE AREA	CABLE O.D.
Max # of cables at 40% fill rate	0	0	0	0	1	1	2	4	5	7	0.6940	0.940
	0	0	0	0	1	1	2	4	5	7	0.7014	0.945
	0	0	0	0	1	1	2	4	5	7	0.7088	0.950
	0	0	0	0	1	1	2	4	5	7	0.7163	0.955
	0	0	0	0	1	1	2	4	5	7	0.7238	0.960
	0	0	0	0	1	1	2	4	5	6	0.7314	0.965
	0	0	0	0	1	1	2	4	5	6	0.7390	0.970
	0	0	0	0	1	1	2	3	5	6	0.7466	0.975
	0	0	0	0	1	1	2	3	5	6	0.7543	0.980
	0	0	0	0	1	1	2	3	5	6	0.7620	0.985
	0	0	0	0	1	1	2	3	5	6	0.7698	0.990
	0	0	0	0	1	1	2	3	5	6	0.7776	0.995
0	0	0	0	0	1	1	2	3	5	6	0.7854	1.000